

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/664,768	09/17/2003	Craig S. Levin	0321.68297	4862
24978 75	590 07/01/2005		EXAM	IINER
	RNS & CRAIN	POLYZOS, FAYE S		
300 S WACKER DR 25TH FLOOR			ART UNIT	PAPER NUMBER
CHICAGO, IL 60606			2878	
			DATE MAILED: 07/01/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
	10/664,768	LEVIN, CRAIG S.			
Office Action Summary	Examiner	Art Unit			
	Faye Polyzos	2878			
The MAILING DATE of this communication Period for Reply	n appears on the cover sheet with	the correspondence address			
A SHORTENED STATUTORY PERIOD FOR FOR THE MAILING DATE OF THIS COMMUNICAT - Extensions of time may be available under the provisions of 37 C after StX (6) MONTHS from the mailing date of this communicati - If the period for reply specified above is less than thirty (30) days - If NO period for reply is specified above, the maximum statutory - Failure to reply within the set or extended period for reply will, by Any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b).	ION. FR 1.136(a). In no event, however, may a repion. a reply within the statutory minimum of thirty (period will apply and will expire SIX (6) MONTH statute, cause the application to become ABAI	ly be timely filed (30) days will be considered timely. IS from the mailing date of this communication. NDONED (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on	17 Sepember 2003				
	This action is non-final.				
3) Since this application is in condition for all	,				
Disposition of Claims					
4) Claim(s) 1-28 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1-2,6-7,11-23 and 25-28 is/are rejected. 7) Claim(s) 3-5,8-10 and 24 is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement.					
Application Papers					
9) The specification is objected to by the Exact 10) The drawing(s) filed on 17 Sepember 200 Applicant may not request that any objection to Replacement drawing sheet(s) including the control of the oath or declaration is objected to by the	3 is/are: a)⊠ accepted or b)☐ on the drawing(s) be held in abeyance correction is required if the drawing(s)	e. See 37 CFR 1.85(a).) is objected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some color None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.					
Attachment(s)					
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-94 Information Disclosure Statement(s) (PTO-1449 or PTO/S Paper No(s)/Mail Date <u>4/26/04</u>. 	8) Paper No(s)/I	nmary (PTO-413) Mail Date rrmal Patent Application (PTO-152)			

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1-2, 6-7, 11-16, 22-26 and 28 are rejected under 35 U.S.C. 102(b) as being anticipated by *Stettner et al (US 5,099,128 A)*.

Regarding claim 1, *Stettner* discloses a radiation imaging device, comprising: a subject radiation station producing photon emissions (nuclear source) (3); and a scintillation crystal detection array arranged to receive emissions from the subject radiation station, the scintillator crystal detection array having a plurality of crystal sheets (15) and intervening semiconductor photodetector positional detectors ((11), the semiconductor photodetector positional detectors (11) having semiconductor photodetectors reading light from a large face of a corresponding crystal sheet (15) (See Generally Figs. 1b, 3a-3b, 4a and col. 1, lines 51-57 and col. 3, lines 55-68).

Regarding claim 2, Stettner discloses the scintillation crystal detection array arranged to receive the emissions in a direction generally orthogonal to large faces of crystal sheets (See Generally Figs. 3a-3b, 4a and col. 1, lines 51-57 and col. 3, lines 55-68).

Application/Control Number: 10/664,768

Art Unit: 2878

Regarding claim 6, Stettner discloses the intervening semiconductor photodetector positional detector (11) each comprises a position sensitive photodetector (col. 3, lines 44-51).

Regarding claim 7, Stettner discloses the scintillation crystal detection array is arranged to receive the emissions by end faces of the crystal sheets (15) in a direction generally parallel to large faces of the crystal sheets (Generally Figs. 3a-3b, 4a and 5a-5b).

Regarding claim 11, Stettner discloses the intervening semiconductor photodetector positional detector (11) each comprises a position sensitive photodetector (col. 3, lines 44-51).

Regarding claim 12, Stettner discloses the intervening semiconductor photodetector positional detectors (11) have a thickness of about less than or equal to 300 µm (col. 4, lines 19-28).

Regarding claim 13, Stettner discloses the intervening semiconductor photodetector positional detectors (11) comprise semiconductor photodetectors supported by one of the plurality of crystal sheets, the crystal sheets forming a substrate (See Generally Figs. 3a and 4a).

Regarding claim 14, Stettner discloses the intervening semiconductor photodetector (11) are each supported by a substrate (See Generally Figs. 3a and 4a).

Regarding claim 15, Stettner discloses the intervening semiconductor photodetector positional detectors (11) comprise semiconductor photodetectors

Application/Control Number: 10/664,768

Art Unit: 2878

supported by one of the plurality of crystal sheets, the crystal sheets forming a substrate (See Generally Figs. 3a and 4a).

Regarding claim 16, Stettner discloses the intervening semiconductor photodetector (11) are each supported by a substrate (See Generally Figs. 3a and 4a).

Regarding claim 22, Stettner discloses a radiation image device, comprising: scintillation crystal sheets (15) arranged in parallel to each other; semiconductor photodetector positional detectors reading light from large faces of scintillation crystal sheets to detect interactions in the scintillation crystal sheet and independently provide position information concerning the interactions relative to at least one axis (See Generally Figs. 1b, 3a-3b, 4a and col. 1, lines 51-57 and col. 3, lines 55-68).

Regarding claim 23, Stettner discloses the intervening semiconductor photodetector positional detectors (11) have a thickness of about less than or equal to 300 µm (col. 4, lines 19-28).

Regarding claim 25, Stettner discloses the intervening semiconductor photodetector positional detectors (11) comprise semiconductor photodetectors supported by one of the plurality of crystal sheets, the crystal sheets forming a substrate (See Generally Figs. 3a and 4a).

Regarding claim 26, Stettner discloses the intervening semiconductor photodetector (11) are each supported by a substrate (See Generally Figs. 3a and 4a).

Regarding claim 28, Stettner discloses the semiconductor photodetector positional detectors are formed directly on corresponding large faces of the scintillation crystal sheets (See Generally Figs. 3a-3b and 4a).

Application/Control Number: 10/664,768 Page 5

Art Unit: 2878

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over *Stettner* et al (US 5,099,128 A) as applied to claim 7 above, and further in view of Seidel et al ("Experimental Estimates of the Absolute Sensitivity of a Small Animal PET Scanner with Depth-of-Interaction Capability", Nuclear Science Symposium Conference Record, IEEE).

Regarding claim 17, *Stettner* discloses a radiation imaging device, comprising: a subject radiation station producing photon emissions (nuclear source) (3); and a scintillation crystal detection array arranged to receive emissions from the subject radiation station, the scintillator crystal detection array having a plurality of crystal sheets (15) and intervening semiconductor photodetector positional detectors ((11), the semiconductor photodetector positional detectors (11) having semiconductor photodetectors reading light from a large face of a corresponding crystal sheet (15) (See Generally Figs. 1b, 3a-3b, 4a and col. 1, lines 51-57 and col. 3, lines 55-68). Stettner does not disclose the crystal sheets and positional detectors arranged in a ring. Seidel discloses a plurality of crystal sheets and intervening semiconductor positional detectors arranged in a ring (See Fig. 1 and p. 21-57). Seidel teaches crystals arranged

Art Unit: 2878

in a ring design provide for scanning of high sensitivity, high and uniform spatial resolution across a field-of-view and for moderate cost (p. 21-57, I. INTRODUCTION). Therefore, it would have been obvious to modify they apparatus suggested by Stettner to allow for ring design arrangement, as suggested by Seidel, to allow for a more versatile apparatus.

5. Claims 18-21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Stettner et al (US 5,099,128 A) as applied to claim 1 above, and further in view of Tai et al ("Performance Evaluation of the MicroPET P4: a PET System Dedicated to Animal Imaging", Phys. Med. Biol., Vol. 46, No. 7, 2001).

Regarding claim 18, *Stettner* discloses a radiation imaging device, comprising: a subject radiation station producing photon emissions (nuclear source) (3); and a scintillation crystal detection array arranged to receive emissions from the subject radiation station, the scintillator crystal detection array having a plurality of crystal sheets (15) and intervening semiconductor photodetector positional detectors ((11), the semiconductor photodetector positional detectors (11) having semiconductor photodetectors reading light from a large face of a corresponding crystal sheet (15) (See Generally Figs. 1b, 3a-3b, 4a and col. 1, lines 51-57 and col. 3, lines 55-68). Stettner does not disclose the crystal sheets and positional detectors arranged in a ring. Tai discloses scintillation crystal detection array forming one of a plurality of scintillation crystal detection arrays, each forming one of a plurality of modules (See Generally Fig. 1 and p. 1847, 2. Materials and methods). Tai teaches the increase in ring diameter accommodates for different subject sizes (p. 1847, 2. Materials and methods).

Application/Control Number: 10/664,768

Art Unit: 2878

Therefore, it would have been obvious to modify they apparatus suggested by Stettner to allow for forming a plurality of modules, as suggested by Tai, to allow for a more versatile apparatus.

Regarding claim 19, Tai discloses the modules arranged in a linear mosaic (p. 1848).

Regarding claim 20, Tai discloses the modules are arranged in a ring (See Generally Fig. 1 and p. 1847, 2. Materials and methods).

Regarding claim 21, Tai discloses the ring comprising one of a plurality of rings to form a cylinder, with leads from the scintillation crystal detection arrays extending from an outer circumference of the cylinder (See Generally Fig. 1 and p. 1847-1848)

6. Claim 27 is rejected under 35 U.S.C. 103(a) as being unpatentable over *Stettner* et al (US 5,099,128 A) as applied to claim 22 above, and further in view of Seidel et al ("Experimental Estimates of the Absolute Sensitivity of a Small Animal PET Scanner with Depth-of-Interaction Capability", Nuclear Science Symposium Conference Record, IEEE).

Regarding claim 27, Stettner of a position sensitive high resolution stacked detector to identify nuclear material configurations (col. 1, lines 50-60). Stettner does not specifically disclose of providing x and y-axis positional. Seidel discloses semiconductor photodetector positional detectors being arranged to independently provide positional information relative to both an X and Y axis for interactions detected in the crystal sheets (See Generally Fig. 1 and p. 21-57). Seidel teaches the signals, from the scintillator-of-interaction technique, are sufficient to locate a scintillation event

Application/Control Number: 10/664,768 Page 8

Art Unit: 2878

in any of the individual crystals in each sensor (p. (21-57)-(21-58)). Therefore, it would have been obvious to modify they apparatus suggested by Stettner to allow for both x and y axis positional information, as suggested by Seidel, to allow for a more versatile apparatus.

Allowable Subject Matter

- 7. Claims 3-5, 8-10 and 24 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 8. The following is a statement of reasons for the indication of allowable subject matter:

Regarding dependent claims 3, 5, 8 and 10, the prior art, as stated supra, does not disclose or fairly suggest of an intervening semiconductor photodetector positional detector comprising photodetector line arrays.

Regarding dependent claims 4, 9 and 24, the prior art, as stated supra, does not disclose or fairly suggest of an intervening semiconductor photodetector positional detector oriented to form a cross-grid arrangement of photodetector line arrays.

Conclusion

- 9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- 10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Faye Polyzos whose telephone number is 571-272-

Application/Control Number: 10/664,768 Page 9

Art Unit: 2878

2447. The examiner can normally be reached on Monday thru Friday from 7:30 AM to 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dave Porta can be reached on 571-272-2444. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

11. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

FP

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800